

RTCA, Inc.  
1828 L Street, NW, Suite 805  
Washington, DC 20036-5133 USA

# **Minimum Operational Performance Standards for Rechargeable Lithium Battery Systems**

RTCA DO-311  
March 13, 2008

Prepared by: SC-211  
© 2011 RTCA, Inc.

Copies of this document may be obtained from

RTCA, Inc.

Telephone: 202-833-9339

Facsimile: 202-833-9434

Internet: [www.rtca.org](http://www.rtca.org)

Please visit the RTCA Online Store for document pricing and ordering information.

## FOREWORD

This document was prepared by RTCA Special Committee 211 (SC-211). It was approved by the RTCA Program Management Committee (PMC) on March 13, 2008.

RTCA, Incorporated is a not-for-profit corporation formed to advance the art and science of aviation and aviation electronic systems for the benefit of the public. The organization functions as a Federal Advisory Committee and develops consensus based recommendations on contemporary aviation issues. RTCA's objectives include but are not limited to:

- Coalescing aviation system user and provider technical requirements in a manner that helps government and industry meet their mutual objectives and responsibilities;
- Analyzing and recommending solutions to the system technical issues that aviation faces as it continues to pursue increased safety, system capacity and efficiency;
- Developing consensus on the application of pertinent technology to fulfill user and provider requirements, including development of minimum operational performance standards for electronic systems and equipment that support aviation; and
- Assisting in developing the appropriate technical material upon which positions for the International Civil Aviation Organization and the International Telecommunication Union and other appropriate international organizations can be based.

The organization's recommendations are often used as the basis for government and private sector decisions as well as the foundation for many Federal Aviation Administration Technical Standard Orders.

Since RTCA is not an official agency of the United States Government, its recommendations may not be regarded as statements of official government policy unless so enunciated by the U.S. government organization or agency having statutory jurisdiction over any matters to which the recommendations relate.

This Page Intentionally Left Blank

## Table of Contents

<b>1</b>	<b>INTRODUCTION .....</b>	<b>1</b>
1.1	Purpose .....	1
1.2	References .....	1
1.3	Scope .....	3
1.3.1	Power Sources .....	3
1.4	Regulatory Issues .....	3
1.5	General Requirements .....	4
1.5.1	Prevention from bus back charging .....	4
1.5.2	Precautions during charging and discharging .....	4
1.5.3	Prevention of Thermal Runaway .....	4
1.5.4	Gas Emission .....	4
1.5.5	Flammability .....	5
1.5.6	Charging and Protection .....	5
1.5.7	Warning System .....	5
1.5.8	Capacity Checks .....	5
1.5.9	Input Power Source .....	5
1.5.10	Design of Protection Circuits .....	5
1.5.11	Charging Time .....	5
1.6	Safety .....	6
1.6.1	Safety Philosophy .....	6
1.6.2	Factors Influencing Safety .....	6
1.7	Quality .....	7
1.7.1	Quality Control .....	7
1.7.2	Configuration Control .....	7
1.7.3	Re-Qualification .....	8
1.8	Storage, Shipping and Disposal .....	8
1.8.1	Storage .....	8
1.8.2	Shipping .....	9
1.8.3	Disposal .....	9
1.9	Design Requirements .....	9
1.9.1	Application Considerations .....	9
1.9.2	General Construction Requirements .....	9
1.9.3	Built-In-Test (BIT) .....	10
1.9.4	Electrical Bonding .....	10
1.9.5	Dissimilar Metals .....	10
1.9.6	Vent Mechanism .....	11
1.9.7	Marking .....	11
1.9.7.1	Battery Marking .....	11
1.9.7.2	Cell Marking .....	11
1.9.7.3	Polarity Marking .....	12
1.9.8	Design Life .....	12
1.9.9	Design Review and Verification .....	12
1.10	Test Considerations .....	13
1.10.1	Test and Verification Philosophy and Goals .....	13
1.10.2	Qualification Test Goals .....	13
1.10.3	Operational Tests .....	13

1.10.4	Unspecified Tests .....	13
1.11	Assumptions for the Determination of Charge and Discharge Values .....	14
1.12	Instructions for Continued Airworthiness.....	14
<b>2</b>	<b>ELECTRICAL QUALIFICATION REQUIREMENTS AND TEST PROCEDURES.....</b>	<b>15</b>
2.1	Test Conditions and Apparatus .....	15
2.1.1	General Test Conditions.....	15
2.1.2	Measuring Apparatus .....	15
2.1.2.1	Voltage Measurement .....	15
2.1.2.2	Current Measurement.....	15
2.1.2.3	Temperature Measurement .....	15
2.1.2.4	Time Measurement .....	15
2.1.2.5	Additional Test Equipment .....	16
2.1.2.6	Mass Test Equipment.....	16
2.1.3	Charging Method .....	16
2.2	Physical Examination and Acceptance Test Procedure (ATP).....	16
2.2.1	Physical Examination.....	16
2.2.2	Acceptance Test Procedure (ATP).....	16
2.3	Electrical Requirements and Test Procedures .....	17
2.3.1	Capacity Tests at the $1I_1$ Rate.....	17
2.3.2	Rated Capacity $C_1$ .....	17
2.3.2.1	Test Method .....	17
2.3.2.2	Evaluation Criteria .....	17
2.3.3	Capacity at $1I_1$ and $-18^\circ\text{C}$ .....	17
2.3.3.1	Test Method .....	17
2.3.3.2	Evaluation Criteria .....	17
2.3.4	Capacity at $1I_1$ and $-30^\circ\text{C}$ .....	18
2.3.4.1	Test Method .....	18
2.3.4.2	Evaluation Criteria .....	18
2.3.5	Capacity at $1I_1$ and $50^\circ\text{C}$ .....	18
2.3.5.1	Test Method .....	18
2.3.5.2	Evaluation Criteria .....	18
2.3.6	Constant Voltage Discharge (high rate batteries only) .....	18
2.3.6.1	Constant Voltage Discharge at $23^\circ\text{C}$ .....	18
2.3.6.1.1	Test Method .....	19
2.3.6.1.2	Evaluation Criteria .....	19
2.3.6.2	Constant Voltage Discharge at $-18^\circ\text{C}$ .....	19
2.3.6.2.1	Test Method .....	19
2.3.6.2.2	Evaluation Criteria .....	19
2.3.6.3	Constant Voltage Discharge at $-30^\circ\text{C}$ .....	19
2.3.6.3.1	Test Method .....	19
2.3.6.3.2	Evaluation Criteria .....	20
2.3.6.4	Constant Voltage Discharge at $50^\circ\text{C}$ .....	20
2.3.6.4.1	Test Method .....	20
2.3.6.4.2	Evaluation Criteria .....	20
2.3.7	Rapid Discharge Capacity.....	20
2.3.7.1	Rapid Discharge Capacity at $23^\circ\text{C}$ .....	20
2.3.7.1.1	Test Method .....	20
2.3.7.1.2	Evaluation Criteria .....	21
2.3.7.2	Rapid Discharge Capacity at $-30^\circ\text{C}$ .....	21
2.3.7.2.1	Test Method .....	21

2.3.7.2.2	Evaluation Criteria .....	21
2.3.7.3	Rapid Discharge Capacity at 50°C.....	21
2.3.7.3.1	Test Method .....	21
2.3.7.3.2	Evaluation Criteria .....	22
2.3.8	Charge Retention.....	22
2.3.8.1	Test Method .....	22
2.3.8.2	Evaluation Criteria .....	22
2.3.9	Storage.....	22
2.3.9.1	Test Method .....	23
2.3.9.2	Evaluation Criteria .....	23
2.3.10	Float Life Test.....	23
2.3.10.1	Test Method .....	23
2.3.10.2	Evaluation Criteria .....	23
2.3.11	External Short-circuit with Protection Enabled Test.....	24
2.3.11.1	Test Method .....	24
2.3.11.2	Evaluation Criteria .....	24
2.3.12	External Short-circuit with Protection Disabled Test.....	24
2.3.12.1	Test Method .....	24
2.3.12.2	Evaluation Criteria .....	25
2.3.13	Charge Acceptance.....	25
2.3.13.1	Ambient Temperature (23°C) .....	25
2.3.13.1.1	Test Method .....	25
2.3.13.1.2	Evaluation Criteria .....	26
2.3.13.2	Low Temperature.....	26
2.3.13.2.1	Charge and Discharge Test at -18 °C .....	26
2.3.13.2.1.1	Test Method.....	26
2.3.13.2.1.2	Evaluation Criteria.....	26
2.3.13.2.2	Charge and Discharge Test at -40°C .....	27
2.3.13.2.2.1	Test Method.....	27
2.3.13.2.2.2	Evaluation Criteria.....	27
2.3.14	Insulation Resistance and Dielectric Strength.....	27
2.3.14.1	Insulation Resistance .....	27
2.3.14.1.1	Test Method .....	27
2.3.14.1.2	Evaluation Criteria .....	27
2.3.14.2	Dielectric Strength .....	28
2.3.14.2.1	Test Method .....	28
2.3.14.2.2	Evaluation Criteria .....	28
2.3.15	Duty Cycle Performance (for engine start batteries only).....	28
2.3.15.1.1	Test Method .....	28
2.3.15.1.2	Evaluation Criteria .....	29
2.3.16	Cyclic Endurance (for all batteries) .....	29
2.3.16.1.1	Test Method .....	29
2.3.16.1.2	Evaluation Criteria .....	30
2.3.17	Deep Discharge Test .....	30
2.3.17.1.1	Test Method .....	30
2.3.17.1.2	Evaluation Criteria .....	30
2.3.18	Overcharge with Protection Enabled Test.....	31
2.3.18.1.1	Test Method .....	31
2.3.18.1.2	Evaluation Criteria .....	31
2.3.19	Induced Destructive Overcharge with Protection Disabled .....	31
2.3.19.1.1	Test Method .....	32
2.3.19.1.2	Evaluation Criteria .....	32
2.3.20	Electrical Tests for Active Electronic Components .....	32
2.3.20.1	Electromagnetic Compatibility (EMC).....	32

2.3.21	High Intensity Radio Fields.....	33
2.4	Lightning Transients Protection .....	34
2.4.1	Lightning Environment .....	34
2.4.2	Lightning Multiple Stroke Transients Waveform .....	35
2.4.3	Lightning Multiple Burst Transients Waveform.....	35
2.5	Software and Hardware Requirements .....	35
2.5.1	Software .....	35
2.5.2	Hardware .....	35
<b>3</b>	<b>ENVIRONMENTAL QUALIFICATION REQUIREMENTS AND TEST PROCEDURES....</b>	<b>37</b>
3.1	Vibration (Section 8 of RTCA/DO-160).....	37
3.1.1	Battery Mounting .....	37
3.1.2	Random Vibration Test.....	37
3.2	Test Method.....	37
3.2.1	Initial Resonance Search .....	37
3.2.1.1	Vibration Test .....	37
3.2.1.2	Evaluation Criteria .....	38
3.3	Operational Shock and Crash Safety (Section 7 of RTCA/DO-160).....	38
3.3.1	Operational Shock.....	38
3.3.1.1	Test Method .....	39
3.3.1.2	Evaluation Criteria.....	39
3.3.2	Crash Safety .....	39
3.3.2.1	Test Method .....	39
3.3.2.2	Evaluation Criteria .....	39
3.3.3	Explosion Containment.....	40
3.3.3.1	Test Method .....	40
3.3.3.2	Evaluation Criteria .....	40
3.4	Altitude and Rapid Decompression (Section 4 of RTCA/DO-160).....	40
3.4.1	Altitude.....	40
3.4.1.1	Test Method .....	40
3.4.1.2	Evaluation Criteria.....	41
3.4.2	Rapid Decompression .....	41
3.4.2.1	Test Method (Section 4, paragraph 4.6.2 RTCA/DO-160).....	41
3.4.2.2	Evaluation Criteria .....	41
3.5	Temperature Shock.....	42
3.5.1.1	Test Method .....	42
3.5.1.2	Evaluation Criteria .....	42
3.6	Fungus Resistance (Section 13 of RTCA/DO-160) .....	42
3.6.1.1	Test Method .....	43
3.6.1.2	Evaluation Criteria.....	43
3.7	Humidity (Section 6 of RTCA/DO-160).....	43
3.7.1.1	Test Method .....	43
3.7.1.2	Evaluation Criteria .....	43
3.8	Fluid Susceptibility (Section 11 of RTCA/DO-160).....	44
3.8.1	General.....	44
3.8.1.1	Test Method .....	44
3.8.1.2	Evaluation Criteria .....	44
3.9	Waterproofness (Section 10 of RTCA/DO-160).....	44
3.9.1.1	Test Method .....	44



3.9.1.2	Evaluation Criteria .....	45
3.10	Salt Fog / Salt Spray (Section 14 of RTCA/DO-160).....	45
3.10.1.1	Test Method .....	45
3.10.1.2	Evaluation Criteria .....	45
3.11	Physical Integrity at High Temperature (85°C) .....	46
3.11.1.1	Test Method .....	46
3.11.1.2	Evaluation Criteria .....	46
3.12	Handle Strength .....	46
3.12.1.1	Test Method .....	46
3.12.1.2	Evaluation Criteria .....	46
<b>4</b>	<b>QUALITY ASSURANCE REQUIREMENTS .....</b>	<b>47</b>
4.1	General Quality Requirements .....	47
4.1.1	Order of Testing .....	47
<b>5</b>	<b>DEFINITION OF TERMS .....</b>	<b>51</b>
<b>APPENDICES .....</b>		<b>55</b>
<b>A</b>	<b>SAFETY GUIDELINES FOR RECHARGEABLE LITHIUM BATTERY SYSTEMS .....</b>	<b>A-1</b>
A.1	GENERAL .....	A-1
A.2	HANDLING .....	A-1
A.3	DISPOSAL .....	A-2
<b>B</b>	<b>MEMBERSHIP.....</b>	<b>B-1</b>

**Table of Tables**

Table 1-1	Workmanship Requirements .....	10
Table 2-1	Electromagnetic Compatibility Tests .....	33
Table 2-2	Lightning Environment.....	34
Table 3-1	Operational Shock .....	39
Table 4-1	Test Schedule.....	48